



**MULTI FITTINGS**  
HIGHER STANDARDS™

**Price List:** CTPFM1001201  
**Supersedes:** March 16, 2020

---

**EFFECTIVE: October 1, 2020**

---

**CYCLE TOUGH®**  
**Series 200 IPS Pressure Fittings**



**SHORT FORM SPECIFICATIONS**

Molded fittings comply with the requirements of ASTM D1784. They are third party certified to CSA B137.3 and are made of a compound with a minimum hydrostatic design basis of 4000 psi. Molded fittings must have a minimum pressure rating of 200 psi. Molded fitting joints must conform to ASTM D3139. Fabricated fittings must be manufactured from pipe sections third party certified to CSA B137.3. The pressure rating of the pipe must match the pressure rating of the system. All fittings must be NSF-61 listed.

---

**[www.multifittings.com](http://www.multifittings.com)**

---






**MULTI FITTINGS**  
HIGHER STANDARDS™


**CYCLE TOUGH 4000 PVC PRESSURE FITTINGS FOR SERIES 200 IPS PIPE**

SIZE	PART NUMBER	LIST PRICE	QUANTITY		WGHT IN LBS	
			CTN	CRATE	CTN	CRATE


**TEE (G x G x G)**

		1.5	055227	\$ 88.40	15	-	22	-
	*	2	355228	\$ 120.20	15	-	15	-
	*	2.5	355229	\$ 133.61	15	-	29	-
	*	3	355230	\$ 141.17	10	-	31	-
	*	4	355231	\$ 217.56	-	60	-	361
	*	6	355232	\$ 487.36	-	26	-	347
	*	8	355233	\$ 861.21	-	11	-	298
			10	055234	\$ 1,108.39	-	4	-
		12	055281	\$ 3,505.00	-	1	-	121

**REDUCING TEE (G x G x G)**

	*	2 x 1.5	<b>355151</b>	\$ 120.20	10	-	10	-
	*	2.5 x 2	<b>355153</b>	\$ 133.61	10	-	17	-
	*	3 x 1.5	<b>355154</b>	\$ 141.17	12	-	25	-
	*	3 x 2	<b>355155</b>	\$ 141.17	12	-	27	-
	*	3 x 2.5	<b>355156</b>	\$ 141.17	10	-	27	-
	*	4 x 2	<b>355157</b>	\$ 217.56	-	90	-	314
	*	4 x 2.5	<b>355158</b>	\$ 217.56	-	90	-	358
	*	4 x 3	<b>355159</b>	\$ 217.56	-	80	-	329
	*	6 x 2	<b>355161</b>	\$ 487.36	-	37	-	362
	*	6 x 2.5	<b>355162</b>	\$ 487.36	-	32	-	325
	*	6 x 3	<b>355163</b>	\$ 487.36	-	32	-	316
	*	6 x 4	<b>355164</b>	\$ 487.36	-	32	-	323
	*	8 x 2	<b>355165</b>	\$ 822.55	-	16	-	355
	*	8 x 3	<b>355166</b>	\$ 822.55	-	16	-	366
	*	8 x 4	<b>355167</b>	\$ 822.55	-	16	-	325
*	8 x 6	<b>355168</b>	\$ 841.92	-	14	-	313	

**TAP SERVICE TEE (G x G x Thread)**

	*	□ 2 x .5	055187	\$ 77.26	12	-	10	-
	*	□ 2 x .75	055188	\$ 77.26	12	-	10	-
	*	□ 2 x 1	055189	\$ 77.26	12	-	10	-
	*	□ 2 x 1.25	055190	\$ 77.26	12	-	16	-
	*	□ 2 x 1.5	<b>355191</b>	\$ 103.42	12	-	9	-
	*	□ 2.5 x .5	055192	\$ 103.40	12	-	22	-
	*	□ 2.5 x .75	055193	\$ 103.42	12	-	22	-
	*	□ 2.5 x 1	055194	\$ 103.42	12	-	21	-
	*	□ 2.5 x 1.25	055195	\$ 103.42	12	-	21	-
	*	□ 2.5 x 1.5	055196	\$ 103.42	12	-	20	-
	*	□ 2.5 x 2	<b>355197</b>	\$ 103.42	12	-	19	-
	*	□ 3 x .5	055198	\$ 138.58	9	-	18	-
	*	□ 3 x .75	055199	\$ 138.58	9	-	18	-
	*	□ 3 x 1	<b>355200</b>	\$ 138.58	9	-	18	-
	*	□ 3 x 1.25	<b>355201</b>	\$ 138.58	9	-	18	-
*	□ 3 x 1.5	<b>355202</b>	\$ 138.58	9	-	18	-	



**MULTI FITTINGS**  
HIGHER STANDARDS™

**CYCLE TOUGH 4000 PVC PRESSURE FITTINGS FOR SERIES 200 IPS PIPE**

SIZE	PART NUMBER	LIST PRICE	QUANTITY		WGHT IN LBS	
			CTN	CRATE	CTN	CRATE

**TAP SERVICE TEE - continued**

	*	3 x 2	<b>355203</b>	\$ 155.44	9	-	18	-
	*	□ 4 x .5	055204	\$ 179.77	-	128	-	67
	*	□ 4 x .75	055205	\$ 179.77	-	128	-	65
	*	4 x 1	<b>355206</b>	\$ 179.77	-	128	-	478
	*	4 x 1.25	<b>355207</b>	\$ 179.77	-	128	-	479
	*	4 x 1.5	<b>355208</b>	\$ 179.77	-	128	-	403
	*	4 x 2	<b>355209</b>	\$ 179.77	-	128	-	390
	*	□ 6 x .75	055211	\$ 231.08	-	48	-	62
	*	6 x 1	<b>355312</b>	\$ 231.08	-	48	-	451
	*	6 x 1.25	055213	\$ 231.08	-	48	-	450
	*	6 x 1.5	<b>355214</b>	\$ 231.08	-	48	-	452
*	6 x 2	<b>355215</b>	\$ 231.08	-	48	-	458	

**CROSS (G x G x G x G)**

		2	055045	\$ 218.48	6	-	15	-
		2.5	055046	\$ 665.25	5	-	24	-
		3	055047	\$ 626.21	3	-	26	-
	*	4	<b>355048</b>	\$ 806.62	-	42	-	335
	*	6	<b>355049</b>	\$ 953.66	-	17	-	278

**90° ELBOW (G x G)**

	*	1.5	055069	\$ 77.50	30	-	32	-
	*	2	<b>355070</b>	\$ 63.89	12	-	9	-
	*	2.5	<b>355071</b>	\$ 73.08	15	-	20	-
	*	3	<b>355072</b>	\$ 92.42	8	-	17	-
	*	4	<b>355073</b>	\$ 157.95	-	120	-	396
	*	6	<b>355074</b>	\$ 289.87	-	36	-	365
	*	8	<b>355075</b>	\$ 565.55	-	17	-	334
		10	055076	\$ 1,394.61	-	3	-	180
	12	055280	\$ 2,276.26	-	1	-	80	

**45° ELBOW (G x G)**

		1.5	055059	\$ 80.95	20	-	20	-
		2	<b>355060</b>	\$ 63.89	15	-	9	-
	*	2.5	<b>355061</b>	\$ 73.08	15	-	18	-
	*	3	<b>355062</b>	\$ 92.42	12	-	24	-
	*	4	<b>355063</b>	\$ 157.95	-	112	-	329
	*	6	<b>355064</b>	\$ 289.87	-	40	-	325
	*	8	<b>355065</b>	\$ 565.55	-	16	-	278
		10	055066	\$ 1,137.90	-	6	-	278
		12	055067	\$ 1,298.28	-	6	-	353

**22 1/2° ELBOW (G x G)**

		2	055053	\$ 381.59	25	-	55	-
		3	055054	\$ 817.75	8	-	40	-
		4	055055	\$ 988.98	-	1	-	11
		6	055056	\$ 1,468.34	-	12	-	284



**MULTI FITTINGS**  
HIGHER STANDARDS™

**CYCLE TOUGH 4000 PVC PRESSURE FITTINGS FOR SERIES 200 IPS PIPE**

SIZE	PART NUMBER	LIST PRICE	QUANTITY		WGHT IN LBS	
			CTN	CRATE	CTN	CRATE

**STOP COUPLING (G x G)**

	*	2	<b>355036</b>	\$ 41.17	30	-	22	-
	*	2.5	<b>355037</b>	\$ 44.55	15	-	16	-
	*	3	<b>355038</b>	\$ 56.28	12	-	17	-
	*	4	<b>355039</b>	\$ 102.51	-	150	-	698
	*	6	<b>355040</b>	\$ 156.40	-	1	-	6
	*	8	<b>355041</b>	\$ 340.30	-	30	-	384

**REPAIR COUPLING (G x G)**

	*	2	<b>355217</b>	\$ 48.79	30	-	21	-	
	*	2.5	<b>355218</b>	\$ 53.77	15	-	16	-	
	*	3	<b>355219</b>	\$ 67.22	12	-	3	-	
	*	4	<b>355220</b>	\$ 120.92	-	150	-	351	
	*	6	<b>355221</b>	\$ 212.60	-	60	-	381	
	*	8	<b>355222</b>	\$ 437.86	-	30	-	379	
			10	055223	\$ 810.82	-	1	-	43
			12	055224	\$ 1,197.35	-	1	-	56

**INCREASER BUSHING (G x SP)**

	*	1.5 x 2	<b>355117</b>	\$ 57.12	25	-	9	-
	*	2 x 2.5	<b>355118</b>	\$ 65.55	15	-	9	-
	*	2 x 3	<b>355119</b>	\$ 78.16	12	-	9	-
	*	2 x 4	<b>355121</b>	\$ 90.73	18	-	19	-
			2 x 6	049280	\$ 260.92	-	8	91
	*	2.5 x 3	<b>355320</b>	\$ 82.34	6	-	6	-
	*	2.5 x 4	<b>355122</b>	\$ 94.96	12	-	15	-
	*	2.5 x 6	<b>355124</b>	\$ 260.92	-	105	-	383
	*	3 x 4	<b>355123</b>	\$ 94.96	12	-	18	-
	*	3 x 6	<b>355125</b>	\$ 171.41	-	105	-	369
	*	4 x 6	<b>355126</b>	\$ 261.34	-	105	-	406
	*	4 x 8	<b>355127</b>	\$ 443.65	-	60	-	412
*	6 x 8	<b>355128</b>	\$ 443.65	-	40	-	344	

**MALE ADAPTER (G x MPT)**

	*	1.5	<b>355099</b>	\$ 58.00	15	-	6	-	
	*	2	<b>355100</b>	\$ 63.07	20	-	10	-	
	*	2.5	<b>355101</b>	\$ 74.75	12	-	9	-	
	*	3	<b>355102</b>	\$ 96.62	16	-	20	-	
			4	055103	\$ 155.44	6	-	22	-
			6	055104	\$ 303.36	4	-	30	-

**SPIGOT ADAPTER (G x SP)**

	*	1.5	<b>355028</b>	\$ 46.21	20	-	8	-	
	*	2	<b>355029</b>	\$ 47.06	15	-	7	-	
	*	2.5	<b>355030</b>	\$ 53.77	12	-	9	-	
	*	3	<b>355031</b>	\$ 66.39	16	-	22	-	
			4	055032	\$ 118.50	6	-	24	-
			6	055033	\$ 173.12	4	-	37	-




**MULTI FITTINGS**  
HIGHER STANDARDS™


**CYCLE TOUGH 4000 PVC PRESSURE FITTINGS FOR SERIES 200 IPS PIPE**

SIZE	PART NUMBER	LIST PRICE	QUANTITY		WGHT IN LBS	
			CTN	CRATE	CTN	CRATE


**ADAPTER (FLxB)**

 Note: Flanged fittings have a maximum operating pressure of 150 psi	1.5	055091	\$ 88.23	12	-	12	-
	2	055092	\$ 84.04	6	-	9	-
	2.5	055093	\$ 178.16	4	-	9	-
	3	055094	\$ 171.40	4	-	14	-
	4	055095	\$ 367.17	3	-	20	-
	6	055096	\$ 583.14	2	-	30	-
	8	055268	\$ 825.13	-	1	-	18


**ADAPTER (B x FIPT)**

	1.5	055251	\$ 48.82	12	-	6	-
	2	055252	\$ 53.78	25	-	18	-
	2.5	055253	\$ 68.87	20	-	26	-
	3	055433	\$ 100.83	15	-	30	-
	4	055254	\$ 132.80	-	1	-	4
	6	055256	\$ 364.63	-	1	-	10


**ADAPTER (PE x MIPT)**

	3	055260	\$ 56.29	-	1	-	1
	4	055105	\$ 83.15	9	-	20	-
	6	055106	\$ 175.57	-	1	-	8

**CAP (B)**

	2	055400	\$ 60.87	25	-	16	-
	2.5	055015	\$ 81.48	-	1	-	1
	3	055402	\$ 106.59	10	-	19	-
	4	055404	\$ 149.56	10	-	32	-
	6	055406	\$ 340.51	-	40	-	499
	8	055408	\$ 566.60	-	22	-	510

**PERMANENT PLUG**

 Note: Spigot Plug may be Solvent Welded	1.5	055107	\$ 38.69	20	-	6	-
	2	055108	\$ 38.69	12	-	4	-
	2.5	055109	\$ 39.48	7	-	5	-
	3	055110	\$ 50.49	-	300	-	383
	4	055111	\$ 107.59	8	-	16	-
	6	055112	\$ 152.88	-	84	-	591
	8	055113	\$ 245.04	-	1	-	11

\* Denotes Molded Fitting

▣ Reduced using a Solvent Welded Threaded Reducer Bushing

Larger sizes available upon request

Orders for non-stocked items are non-returnable, non-cancellable

# Multi Fittings Corporation

## General Terms and Conditions of Sale

### 1. Scope

All sales are subject to these general terms and conditions (“**General T&Cs**”). In addition, certain products may be subject to product-specific terms and conditions (“**Specific T&Cs**”) as posted on the Vendor’s website at the time of sale. In the event of a conflict between the General T&Cs and the Specific T&Cs, the Specific T&Cs shall prevail. Purchaser’s order is accepted subject to these General T&Cs, to the applicable Specific T&Cs and to any terms and conditions agreed to in writing by the Vendor and Purchaser. **It is expressly agreed that any terms and conditions contained in the Purchaser’s order or otherwise stipulated will be deemed for the Purchaser’s internal use only and will not be binding on the Vendor.**

### 2. Orders

Purchaser’s orders are conditional upon satisfactory credit approval by the Vendor. The Vendor will only accept orders in excess of \$100 before taxes or such greater amount as may be specified for certain products. Once confirmed by the Vendor, orders for custom-made or non-stocked products cannot be cancelled, modified or returned, except with the Vendor’s written consent and upon terms which provide for indemnification of the Vendor for the costs and expenses incurred.

### 3. Shipments, Title to the Products and Risk of Loss

Any delivery schedules stipulated are approximate only and shipment will be made within reasonable proximity thereto. Under no circumstances will the Vendor be responsible for any damage whatsoever caused by delays in shipment, whether resulting from causes within or beyond the control of the Vendor.

All shipments are F.O.B. origin (Vendor’s location) (American standard) or Ex Works (Vendor’s location) (ICC Incoterms), as indicated on the invoice. Freight prepaid orders, when applicable, will be delivered by the carrier of the Vendor’s selection, unless the use of other carriers is agreed to in writing with the Purchaser.

Risk of loss and title to the Products shall in any case pass to the Purchaser upon delivery of Products to the carrier at Vendor’s shipping dock or upon the invoicing of the Products, whichever occurs first.

Purchaser must verify quantities and report discrepancies within 2 business days of receipt.

### 4. Prices

All prices quoted or published are F.O.B. origin (Vendor’s location) or Ex Works (Vendor’s location), and do not include any sales, use, excise or any other tax or levy imposed by any present or future law, regulation or other order, on any of the Products.

Published prices are subject to change without notice until orders are accepted by the issuance of an order confirmation, whereupon prices will remain firm for those shipments that take place within the 30-day period following the date of the order confirmation. For specific projects, contracts or quotations, the Vendor may agree in writing to protect prices for an extended period

# Multi Fittings Corporation

## General Terms and Conditions of Sale

of time. Each order may be shipped in whole or in part at the Vendor's discretion. Each shipment made will be immediately invoiced.

In order to be exempt of the applicable taxes, Purchaser must provide the Vendor with applicable tax exemption certificates or other documents.

### **5. Terms of Payment**

Unless other terms of payment are agreed to in writing by the Vendor, payment is due upon delivery of the Products. If applicable, cash discounts, expressed as a percentage, are calculated on the net invoiced prices before any taxes, freight or other charges and can only be deducted from payment if the Vendor receives payment from Purchaser on or prior to the due date. Net 30 days means that payment is due within 30 days of the date of invoice and no cash discount is applicable. Overdue accounts shall bear interest at a rate of 18% per annum. The granting of credit by the Vendor is at all times based on its evaluation of the Purchaser's financial condition. If such financial condition does not justify continuance of shipment on credit, the Vendor may require full or partial payment in advance.

### **6. Return of Products**

The Vendor may accept the return of Products, at its sole discretion, but is subject in all cases to the following: a) prior to returning any Products, the Purchaser must obtain a Return Material Authorization (RMA) number from the Vendor; b) Products must be returned freight prepaid, unless otherwise authorized by the Vendor; and c) Products must be received in good saleable condition and, if required, in full carton quantities and in their original packaging. A minimum return charge of 25% of the purchase price will be applied against any credit issued pursuant to the return of Products, except in the case of a Vendor shipping error. The Vendor may apply additional charges against the credit to cover remarketing costs or may refuse to issue any credit, but will advise the Purchaser accordingly.

Certain Products, such as pressure pipe and fittings, custom-made products or configurations, perishable products, obsolete products, large quantities or other specialty products cannot be returned.

In certain circumstances, the Vendor may direct that Products be destroyed for credit rather than returned.

### **7. Changes to Products**

The Vendor reserves the right to make changes or improvements to its Products without assuming any further obligation.

### **8. Patent Rights**

If any claim is made against the Purchaser based on the allegation that any of the Products sold by the Vendor constitute an infringement of any patent, the Purchaser shall notify the Vendor immediately. The Vendor shall have the right, at its own option and expenses, to take any actions to protect and defend its rights.



# Multi Fittings Corporation

## General Terms and Conditions of Sale

### **9. Force Majeure**

The Vendor shall in no event be responsible or liable for any non-performance or delay in performance hereunder or any loss or damage of any kind or nature whatsoever, direct or indirect, suffered by the Purchaser, subsequent purchasers, end-users of the Products or any other person, as a result of any causes beyond the reasonable control of the Vendor including, without limitation, fires, floods, civil commotion, riots, wars, acts of God, embargos, acts of or acts authorized by any government or standard organizations, adoption of laws or regulations, strikes/slowdowns, lock-outs/walk-outs, labor shortages, accidents, breakdowns, power outages, delays in shipments, manufacture, transportation or delivery of goods or materials, shortages of materials or supplies, or price alterations.

### **10. Governing Law**

This agreement and all rights and obligations hereunder shall be governed by the laws of Delaware and all actions commenced pursuant hereto shall be brought in a court of competent jurisdiction residing in Wilmington, Delaware. The parties agree to exclude this Agreement and the purchases made thereunder from the application of the United Nations' Convention on the Sale of Goods.

### **11. Non-waiver**

No delay, failure, change or waiver by the Vendor to exercise any one or more of its rights under these terms and conditions of sale shall be construed or shall operate to be a waiver thereof or a continuing waiver of such terms and conditions.

### **12. Warranty and Limitation of Liability**

12.1 The Vendor warrants that its Products are, at the time of their sale by Vendor, free from defects resulting from Vendor's faulty manufacturing.

12.2 THERE IS NO WARRANTY, CONDITION OR REPRESENTATION OF ANY NATURE WHATSOEVER, EXPRESSED OR IMPLIED, BY STATUTE OR OTHERWISE, EXCEPT AS HEREIN CONTAINED. ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS OF THE PRODUCTS FOR A SPECIAL PURPOSE AND ANY OTHER WARRANTY OF QUALITY ARE EXPRESSLY DISCLAIMED.

12.3 The Vendor will, at its entire discretion either refund or replace with a Product of the same type and size as the original Product, free of charge, including shipping charges at the original point of delivery, any Product which is found to breach this Limited Warranty.

12.4 THIS LIMITED WARRANTY IS VALID ONLY AND WILL ONLY APPLY IF ALL OF THE FOLLOWING CONDITIONS ARE MET:

12.4.1 The Product must have been used only in applications and under conditions (handling, installation, testing, use, water temperature, maintenance, repairs, etc.) that are strictly in compliance with these terms and conditions and the Vendor's

# Multi Fittings Corporation

## General Terms and Conditions of Sale

technical manuals and installation instructions currently available from the Vendor at the time of installation.

- 12.4.2 The alleged defect must not be due to faulty installation, misalignment of products, vibration, ordinary wear and tear, corrosion, erosion, U.V. degradation, incompatible lubricants, pastes and thread sealants, unusual pressure surges or pulsation, water hammer, temperature shocking, or fouling.
- 12.4.3 The Product must have been installed in good and workmanlike manner consistent with the Vendor's technical manuals and installation instructions currently available from the Vendor at the time of installation, and with the state of the art industry standards and practices, and in conformance with all applicable laws and regulations.
- 12.4.4 The Product must have not been altered, damaged or modified after leaving the Vendor's premises, and must have been used in no more than one installation, show no evidence of disassembly or tampering, and have not been subjected to abnormal operating conditions, accident, abuse, misuse, unauthorized alteration, or repair.
- 12.4.5 The Product must not have been subject to acts of nature such as earthquakes, fire, flood, or lightning, or any other event of force majeure.
- 12.4.6 The Product must not have been subject to freezing inside any of its components.
- 12.4.7 If the Product is perishable, the Product must have been used prior to the expiration date as indicated on the Product.
- 12.4.8 The Claimant must notify the Vendor in writing within ten (10) days of when the alleged defect was discovered, or should have been discovered in the exercise of ordinary care, and the alleged defective Product must be promptly returned to the Vendor. Notice of an alleged defective Product under this Limited Warranty must be directed to your local IPEX Customer Service representative. Claimant must provide documentary evidence of failure, as well as the failed components themselves or representative samples of the Product that is alleged to have failed, and must agree to allow a meaningful and reasonable opportunity for Vendor to inspect the system in which the alleged defective Product was installed.
- 12.5 ANY LIABILITY IN RESPECT TO THE PRODUCTS IS STRICTLY LIMITED TO THEIR REFUND OR REPLACEMENT AS HEREINBEFORE SPECIFIED AND THERE SHALL NOT, IN ANY EVENT, BE ANY LIABILITY FOR ANY LABOUR CHARGES OR DAMAGES, INCLUDING WITHOUT LIMITATION DIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES.
- 12.6 Without limiting the generality of the foregoing, any liability or responsibility is disclaimed:
  - 12.6.1 for labor, materials, and/or other expenses required to replace a defective Product;

# Multi Fittings Corporation

## General Terms and Conditions of Sale

- 12.6.2 for any damage resulting from a defective Product;
- 12.6.3 for calculations, product drawings, or engineering design specifications;
- 12.6.4 regarding the accuracy of any plans, drawings, or specifications furnished to the purchaser as part of the sale of any of its products;
- 12.6.5 for loss or damage resulting from failure to abide by manufacturer's warnings, safety instructions, or other precautionary guidelines.
- 12.7 ANY CLAIM, WHETHER IN CONTRACT OR IN TORT (INCLUDING NEGLIGENCE) OR OTHERWISE, WITH RESPECT TO OR ARISING OUT OF THE SALE, DELIVERY, INSTALLATION, REPAIR OR USE OF ANY PRODUCTS SOLD TO PURCHASER SHALL NOT IN ANY EVENT EXCEED THE PURCHASE PRICE OF THE PRODUCTS FOUND TO BE DEFECTIVE. It is the responsibility of the owner to obtain and pay for emergency repairs.
- 12.8 No statement, conduct, or description by the Vendor, any of its affiliates, their respective representatives, distributors or agents, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in a writing signed by an officer of the Vendor.

### **13. IMPORTANT**

Without limiting any other restriction in any of the Vendor's documentation, the Products must not be used in any way related to nuclear material or to a nuclear facility and must not be used or located in Iran, North Korea, Syria, Cuba or Sudan at any time.

Multi Fittings Corporation

General Terms and Conditions of Sale (July 2018)



**MULTI FITTINGS**  
HIGHER STANDARDS™

---

---

**MULTI FITTINGS CORP.  
CUSTOMER SERVICE CENTER**

1055 Wilton Grove Road  
London, Ontario  
N6N 1C9

PHONE (519) 681-2140  
TOLL FREE (800) 265-1815  
FAX (519) 681-2156

---

**[www.multifittings.com](http://www.multifittings.com)**

---